
OPPENHEIMER WOLFF & DONNELLY LLP (650)32
"CONTROLLING THE EXTINCTION RATIO
OF OPTICAL TRANSMITTERS"
Inventor: Martinez et al.
Docket No.: 60305-306501

1/5



OPPENHEIMER WOLFF & DONNELLY LLP (650)320 "CONTROLLING THE EXTINCTION RATIO OF OPTICAL TRANSMITTERS" Inventor: Martinez et al. Docket No.: 60305-306501

2 / 5

CURRENT

AVC AVC

 $^{\circ}$

 $\mathsf{P}_{\mathsf{AVE}}$

OPTICAL OUTPUT POWER







FIG. 2 (PRIOR ART)

OPPENHEIMER WOLFF & DONNELLY LLP (650)320
"CONTROLLING THE EXTINCTION RATIO
OF OPTICAL TRANSMITTERS"
Inventor: Martinez et al.
Docket No.: 60305-306501


3 / 5



OPPENHEIMER WOLFF & DONNELLY LLP (650)3203
"CONTROLLING THE EXTINCTION RATIO
OF OPTICAL TRANSMITTERS"
Inventor: Martinez et al.
Docket No.: 60305-306501

4/5






 I'_{MOD} (TOTAL) = I_{MOD} + KI_{AVC} (EXTINCTION RATIO) = $\frac{P_1}{P_0}$

FIG. 4

Extinction Ratio vs. Temperature

10

5 / 5



+